

View current license information at: Floridahealthfinder.gov

LICENSE #: 175
CERTIFICATE #: 1320

State of Florida
AGENCY FOR HEALTH CARE ADMINISTRATION
DIVISION OF HEALTH QUALITY ASSURANCE
Eye Bank

Licensed

This is to confirm that Florida Lions Eye Bank has complied with the requirements of the State of Florida, Agency for Health Care Administration, for certification as authorized by Florida Statutes 765.542 and is to operate the following:

FLORIDA LIONS EYE BANK

900 NW 17 St #347
Miami, FL 33136

Authorized Services: recover, process, distribute and storage eyes

EFFECTIVE DATE: 08/02/2017

EXPIRATION DATE: 08/04/2019



Molly McKeon
Deputy Secretary, Division of Health Quality Assurance

View current license information at: Floridahealthfinder.gov



RICK SCOTT
GOVERNOR

JUSTIN M. SENIOR
SECRETARY

August 2, 2017

Administrator
Florida Lions Eye Bank
900 NW 17 St Ste. 347
Miami, FL 33136

File Number: 41930037
License Number: 175
Provider Type: Organ And Tissue
Procurement

RE: 900 NW 17 St. Ste. 347, Miami

Dear Administrator:

The enclosed Organ and Tissue Procurement license with license number 175 and certificate number 1320 is issued for the above provider effective August 2, 2017 through August 4, 2019. The license is being issued for: approval of the renewal application.

Review your certificate thoroughly to ensure that all information is correct and consistent with your records. If errors are noted, please contact the Laboratory Licensure Unit.

Please take a short customer satisfaction survey on our website at ahca.myflorida.com/survey/ to let us know how we can serve you better. Additional licensure information can be found at <http://ahca.myflorida.com/labs>.

If we may be of further assistance, please contact me by phone at (850) 412-4373 or by email at Linda.Lovette-Leonard@ahca.myflorida.com.

Sincerely,

Linda Lovette-Leonard
Health Services & Facilities Consultant
Laboratory Licensure Unit
Division of Health Quality Assurance



Administrator
900 NW 17 St Ste 347
Miami, FL 33136